



एन सी आर

भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

1755-1997 BY REGD. POST

Date: 27-08-2010

M/s Ansal Properties & Infrastructure Ltd.
1st Floor, T.M.C.A. Building,
13, Ramesh Prasad Marg,
Lucknow.

APIL- LUCKNOW
Serial No. 3578
Date 27/08/10
Mogt. 419/10

NO OBJECTION CERTIFICATE - (FOR HEIGHT CLEARANCE ONLY)

Sir

Please refer to APD Lucknow letter no AA/ILK/CP-18104-2010/973-74 dated 08-06-2010 on the subject mentioned above.

This office has no objection to the construction of the proposed Group Housing Building by M/s Ansal Properties & Infrastructure Ltd. herein after referred to as the applicant(s) at location Plot No. 5, Sector 5, Sushant Golf City, Sultanpur Road, Lucknow (Co-ordinates- 26 46 18.1 N 81 00 52.3 E) for a height of 120.50 Mts. (in figure One Hundred twenty Decimal five zero Meters (in words) above ground level so that the top of the proposed structure when erected shall not exceed 118.00 Mts. (site elevation) plus (+) 120.50 Mts. (height of structure) = 238.50 Mts. above mean sea level.

This no objection certificate is being issued on the express understanding that the site elevation (height above mean sea level) viz 118.00 Mts. relative location of the proposed building/structure & its distances and bearings from ARP/Runway ends, as tendered by the applicant(s) are correct. If, however, at any stage it is established that the said data as tendered & which could adversely effect aircraft operations, the structure or part(s) thereof in respect of which this 'No Objection Certificate' is being issued will have to be demolished at his own cost as may be directed by the Airports Authority of India. The Applicant(s) are therefore advised in his /their own interest to verify the elevation and other data furnished for the site, before embarking on the proposed construction.

The issue of this 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time and under which also the applicant may be called upon by the Airports Authority of India (National Airports Division) to demolish in whole or in part the structure now being authorized vide this 'No Objection Certificate'.

The use of electric fire or oil fired furnace is obligatory.

This certificate is valid for a period of five years from the date of issue. If the building /structure chimney is not constructed & completed within the above mentioned period of five years, you will be required to obtain a fresh 'No Objection Certificate' from the Airports Authority of India (National Airports Division) and/or the General Manager, Aerodromes, Northern Region. The date of completion of the building/ structure/shimney should be intimated to the Airports Authority of India and/or the General Manager, Aerodromes, Northern Region.

No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time during or after the construction of the building.

Day & Night markings with secondary power supply may be provided as per ICAO Standard. The permissible top elevation/height includes height for superstructures (eg. Wireless, TV antennas, mummies, lift machine room, overhead water tank cooling towers etc.)"

S. Swaminathan
(S. SWAMINATHAN)
GENERAL MANAGER (AERO-OPS)
NORTHERN REGION

- Copy to: 1. The Chairman, Airports Authority of India, F.G. Bhawan, Sardarjung Airport, New Delhi.
2. The Airport Director, Airports Authority of India, C.A., Lucknow.

FOR GENERAL MANAGER (AERO)
NORTHERN REGION

क्षेत्रीय मुख्यालय, उत्तरी क्षेत्र, प्रचालन कार्यालय, गुडगांव रोड़, नई दिल्ली-110037 दूरभाष : 25652447 फ़ैक्स : 25656451
Regional Headquarters, Northern Region, Operational Offices, Gurgaon Road, New Delhi-110037. Telex : 25652447 Fax : 25656451

"हिन्दी पत्रों का स्वागत है।"